

ROLL FED CUTTER SERIES
NEW



BEST IN IT'S CLASS FOR PRECISION AND QUALITY

CE8000-40
15"



CE8000-60
24"



CE8000-130
50"



NEW

GRAPHTEC CE8000 SERIES

FEATURE HIGHLIGHTS


ENGINEERED FOR HIGHER PRODUCTIVITY

The **Graphtec CE8000 Series** cutting plotter is the perfect solution for those looking to increase production with greater efficiency for **SIGNAGE Graphics** • **PRINT & CUT Graphics** • **Automotive Markets** • **Garment Decoration** and many more....

A NEW TOUCH PANEL with **MECHANICAL KEYS** gives users more flexibility with it's **Blind Touch Operation** enabling the operator to continually keep eyes on media while feeding.

NEW Wireless LAN: The CE8000 includes a wireless connection module which improves flexibility of installation locations.

NEW Tool Holder: Improved design makes it easier to change tools and blade position by sliding the stopper forward and back.



Media Set Assist: Suction fans help to prevent media lift and shift when feeding

Email Notification: Job Completion and Error Notifications can be sent to users by email


Separate Tool Positions for contour and die cutting ensures the longevity of your blades and cutting strip when creating decals and graphics that are effortlessly popped out of sheet and roll media.

Data Link Barcode System allows cutting different jobs with different data sequentially. By reading the Graphtec barcode, the CE8000 automatically detects its linked data from a PC or USB Drive.


The CE8000 Series barcode data management system allows the **Continuous Cutting** of multiple jobs with different data sequentially by detecting the Start Mark of each new job.

Advanced Registration Mark Sensing system delivers precise Print & Cut results using sensors to detect registration marks and perform axis alignment. Efficiency boosting functions improve productivity for Print & Cut applications such as labels and decals.

Expanded Contour Cutting Area expands the Print & Cut area to include objects outside of the registration marks. Production efficiency is enhanced and media waste is reduced.



Expanded Contour Cutting Area




Reversed Color Registration Marks



NEW Touch Screen with Keypad



NEW Wireless LAN Module



Improved Tool Holder Design



Magnetic Storage Compartment



DATA LINK Barcode System



Middle Marks on X & Y-axis

CE8000 SERIES

CAPABILITIES

450 gf Cutting Force
39"/s Cutting Speed

NEW Control Panel

- Touch Screen AND Mechanical Keys
- New Menu Structure
- Integrated Firmware Updates



MORE INTUITIVE MENU STRUCTURE

Revisions to the menu are more intuitive and efficient utilizing the **New Touch Screen Feature** with icons that allow for easier operation.

EASY FIRMWARE UPDATING

Check and download firmware via GS2 or CM5 and install directly using a USB Flash Drive or USB cable (not supplied).

HOLD DOWN FORCE CONTROL

CE8000-130 center push roller can engage / disengage



Hold-down force: **MEDIUM**



Hold-down force: **OFF**

PRECISION CUTTING SOLUTIONS

ACCESSORIES

UPDATED BLADE HOLDER DESIGN

Blade:
CB09UB



Blade Holder:
PHP33-CB09N-HS

Optional Accessories Available for Purchase:

- Media Basket
- Carrier Sheet Table
- Blade Loupe
- Fiber-tip Pen / Holder
- Roll Media Tray
- USB Cable

Included Design Software and Plugin:

Dedicated design software and plug-ins provide all of the tools necessary to create elegant and professional products.

- **Cutting Master 5 Plug-in:**
Adobe Illustrator (PC / MAC)
CoreIDRAW (PC)



- **Graphtec Studio 2:**
Design Software - PC / MAC

- Windows Driver

VIDEO TRAINING
PRESS PLAY ▶ GET TO WORK



GRAPHTEC 2 YEAR STANDARD WARRANTY

MARKET APPLICATIONS



Vinyl Signage



POP - Packaging



Stencils



DTF / Heat Transfer



Window Tinting Film



Party Decorations



Vinyl Decals



Product Labels

CE8000 SPECIFICATIONS

GRAPHTEC
PRECISION CUTTING SOLUTIONS



CE8000-40



CE8000-60



CE8000-130



MODEL :

Configuration : Grit-rolling Plotter Driven by a Digital Servo Motor - 32bit CPU • Buffer Memory: 2MB

Maximum Cutting Width :	15" x 164'	24" x 164'	50" x 164'
* Guaranteed Tracking :	14" x 79" *1	23" x 79" / 23" x 16.4' *1 / *2	50" x 79" / 49" x 16.4' *1 / *2
Mountable Media Width :	2" to 19"	2" to 30"	2" to 54"
Maximum Cutting Speed :	24"/s in all directions	35"/s @ 45° direction	39"/s @ 45° direction
Maximum Cutting Force :	4.41N (450gf)		
Number of Push Rollers :	2 Rollers	2 Rollers	3 Rollers
Specifiable Speeds (cm/s) :	1 - 10, 15, 20, 25, 30, 35 40, 45, 50, 55, 60, 64	1 - 10, 15, 20, 25, 30, 35 40, 45, 50, 55, 60, 64	1 - 10, 15, 20, 25, 30, 35, 49 45, 50, 55, 60, 65, 70, 71
Maximum Media Weight :	11 lbs.	20 lbs.	37 lbs.
Minimum Character Size :	5 mm (0.197") alphanumeric Helvetica med. Font *1		
Barcode \ Data Link :	YES		
Repeatable Accuracy :	0.1 mm or less / in unit of 2 m (Designated film and cut conditions)		
Interface :	USB 2.0 (Full Speed) • Wireless LAN IEEE 802.11b/g/n • Ethernet 10 BASE-T/100 BASE-TX *5		
Programmable Resolution :	GP-GL™ mode: 0.1 / 0.05 / 0.025 / 0.01 mm • HP-GL *3 : 0.025mm		
Mechanical Resolution :	0.005 mm (5µm)		
Resident Command Sets :	GP-GL/HP-GL *3 (Control panel switching, Auto switching)		
Condition Settings :	Dual Configuration - 2 User Settings with 8 Separate Condition Settings per User		
LCD Display :	Touch Panel Screen (240-dot x 128-dot)		
External Dimensions :	w: 26.65" d: 17.76" h: 10.5"	w: 35.55" d: 23" h: 42.4"	w: 65" d: 32" h: 42.3"
Weight (approx) *4 :	24.25 lbs. (11 kg)	46.3 lbs. (21 kg)	106 lbs. (40 kg) *4
Compatible Media :	Mono-vinyl chloride media, fluorescent media, and reflective media up to 0.25 mm thick (Excluding high-intensity reflective film)		

Software : **Cutting Master 5 - Plugin**
Adobe Illustrator - Mac/ Win
CorelDraw - Win

Graphtec Studio 2
Mac OS Software

Windows Driver
AutoCad / Vector Drawing
Software Requiring a Driver



GRAPHTEC STANDARD WARRANTY: 2 YEARS PARTS & LABOR WITH ONLINE PRODUCT REGISTRATION

VIDEO TRAINING
PRESS PLAY ► GET TO WORK



*1: Varies depending on the type of Graphtec- authorized film and the cutting conditions.

*2: When using basket.

*3: HP-GL is a registered trademark of the US Hewlett Packard Company.

*4: Roll-medium tray or stand is included.

*5: Ethernet machine available

rev 8-24